

Department of Health

COVID-19 Update




June 7, 2022

Charlotte Update

- Charlotte county classified as high transmission by CDC as of 6/3.
- New weekly case Positivity 16.6%
- State Average 16.2%
- Current case rate 268 per 100,000
- Mid county test site moving to FDOH on 6/7.
- Continue to monitor high risk populations for unmet needs.
- Ongoing site visits and support for nursing homes.
- No shortages of vaccines, PPE, and tests.

Treatment Options

Location Pin Key



- 5 Oral antiviral sites
- 2 Hospitals with Monoclonals
- Mid county test site still open
 - Moving to FDOH bldg.
- Vaccine and monoclonal support for Long term facilities.

<https://floridahealthcovid19.gov/treatments/treatmentlocator/>

Charlotte Status

High

What Prevention Steps Should You Take Based on Your COVID-19 Community Level?

Low	Medium	High
<ul style="list-style-type: none">• Stay <u>up to date</u> with COVID-19 vaccines• <u>Get tested</u> if you have symptoms	<ul style="list-style-type: none">• If you are <u>at high risk for severe illness</u>, talk to your healthcare provider about whether you need to wear a mask and take other precautions• Stay <u>up to date</u> with COVID-19 vaccines• <u>Get tested</u> if you have symptoms	<ul style="list-style-type: none">• Wear a <u>mask</u> indoors in public• Stay <u>up to date</u> with COVID-19 vaccines• <u>Get tested</u> if you have symptoms• Additional precautions may be needed for people <u>at high risk for severe illness</u>

People may choose to mask at any time. People with symptoms, a positive test, or exposure to someone with COVID-19 should wear a mask. Masks are required on public transportation and may be required in other places by local or state authorities.

COVID Cases

Cases & Deaths in Charlotte County, Florida

Data through Tue May 31 2022

Total Cases	403
Case Rate (last 7 days)	213.33
% Change (last 7 days)	15.14

Total Deaths	<10
Death Rate (last 7 days)	suppressed
% Change (last 7 days)	

Tue, Jan 21st 2020 - Wed, Jun 1st 2022


Use slider to update time series chart



Daily Cases - 7-Day Moving Average



Daily Deaths - 7-Day Moving Average



Testing

Testing in Charlotte County, Florida

Data through Mon May 30 2022

% Positivity	23.25
% Change (last 7 days)	2.76

Data through Thu May 26 2022


Tests Performed	1449
Test Rate (last 7 days)	744.18
% Change (last 7 days)	10.61

Tue, Jan 21st 2020 - Wed, Jun 1st 2022

Use slider to update time series chart



7-day Percent Positivity



Daily Tests Performed - 7-Day Moving Average



Hospitalizations


Hospitalizations in Charlotte County, Florida

Data through Tue May 31 2022

New admissions of confirmed COVID-19 among county residents (estimated)	30
New admissions of confirmed COVID-19 per 100,000 population (last 7 days)	15.9
% Change in new admissions of confirmed COVID-19 from previous 7 days	41.90

% Staffed inpatient beds in use by patients with confirmed COVID-19	3.5
Absolute change, % staffed inpatient beds in use by patients with confirmed COVID-19 from previous 7 days	0.5

% Staffed ICU beds in use by patients with confirmed COVID-19	3.7
Absolute change, % staffed ICU beds in use by patients with confirmed COVID-19 from previous 7 days	1.1



Strategy/Updates

Who Can Get a Booster

ELIGIBLE FOR 1 Booster

Everyone ages 12 years and older can get 1 booster after completing their [COVID-19 vaccine primary series](#).

Learn when you can get your 1st booster below.

ELIGIBLE FOR 2 Boosters

- Adults ages 50 years and older
- People ages 12 years and older who are [moderately or severely immunocompromised](#)
- People who got 2 doses (1 primary dose and 1 booster) of Johnson & Johnson's Janssen vaccine

Learn when you can get your 2nd booster below and [what you should consider](#).

- CDC updates community level guidelines based upon transmission of COVID-19.
 - CDC County Check tool added to web.
- Mid county test site transitioning to FDOH Tue 6/7.
- Multiple therapeutics available on state web page.
- Continue testing and vaccination strategies.
- Additional booster available.
- Continue rapid Infection control assessments.
- Vaccination efforts continue. (75% total pop 5+)
- Continued focus on ILI and respiratory illnesses.
- Continue to monitor unmet needs and respond appropriately.
- Federal site for home tests.
<https://www.covidtests.gov/>

CDC Guidance

When to Stay Home

Calculating Quarantine

The date of your exposure is considered day 0. **Day 1 is the first full day after your last contact with a person who has had COVID-19.** Stay home and away from other people for at least 5 days. [Learn why CDC updated guidance for the general public.](#)

IF YOU
Were exposed to COVID-19 and are **NOT up to date** on COVID-19 vaccinations

Quarantine for at least 5 days

Stay home

Stay home and [quarantine](#) for at least 5 full days.

Wear a [well-fitting mask](#) if you must be around others in your home.

[Do not travel.](#)

Get tested

Even if you don't develop symptoms, [get tested](#) at least 5 days after you last had [close contact](#) with someone with COVID-19.

IF YOU
Were exposed to COVID-19 and are **up to date** on COVID-19 vaccinations

No quarantine

You do not need to stay home **unless** you develop symptoms.

Get tested

Even if you don't develop symptoms, [get tested](#) at least 5 days after you last had [close contact](#) with someone with COVID-19.

IF YOU
were exposed to COVID-19 and had confirmed COVID-19 within the past 90 days (you tested positive using a viral test)

No quarantine

You do not need to stay home **unless** you develop symptoms.

After quarantine

Watch for [symptoms](#)

Watch for symptoms until 10 days after you last had close contact with someone with COVID-19.

Avoid travel

It is best to [avoid travel](#) until a full 10 days after you last had close contact with someone with COVID-19.

If you develop symptoms

[Isolate](#) immediately and [get tested](#). Continue to stay home until you know the results. Wear a [well-fitting mask](#) around others.

Watch for symptoms

Watch for [symptoms](#) until 10 days after you last had close contact with someone with COVID-19.

If you develop symptoms

[Isolate](#) immediately and [get tested](#). Continue to stay home until you know the results. Wear a [well-fitting mask](#) around others.

Watch for symptoms

Watch for [symptoms](#) until 10 days after you last had [close contact](#) with someone with COVID-19.

If you develop symptoms

[Isolate](#) immediately and [get tested](#). Continue to stay home until you know the results. Wear a well-fitting mask around others.

Take precautions until day 10

Wear a well-fitting mask

Wear a [well-fitting mask](#) for 10 full days any time you are around others inside your home or in public. Do not go to places where you are unable to wear a well-fitting mask.

If you must travel during days 6-10, take precautions.

Avoid being around people who are more likely to get very sick from COVID-19.

Take precautions until day 10

Wear a well-fitting mask

Wear a [well-fitting mask](#) for 10 full days any time you are around others inside your home or in public. Do not go to places where you are unable to wear a well-fitting mask.

Take precautions if traveling

Avoid being around people who are more likely to get very sick from COVID-19.

Take precautions until day 10

Wear a well-fitting mask

Wear a [well-fitting mask](#) for 10 full days any time you are around others inside your home or in public. Do not go to places where you are unable to wear a well-fitting mask.

Take precautions if traveling

Avoid being around people who are more likely to get very sick from COVID-19.

Calculating Isolation

Day 0 is your first day of symptoms or a positive viral test. **Day 1 is the first full day after your symptoms developed or your test specimen was collected.** If you have COVID-19 or have symptoms, isolate for at least 5 days.

IF YOU
Tested positive for COVID-19 or have symptoms, regardless of vaccination status

Stay home for at least 5 days

Stay home for 5 days and [isolate](#) from others in your home.

Wear a [well-fitting mask](#) if you must be around others in your home.

[Do not travel.](#)

Ending isolation if you had symptoms

[End isolation after 5 full days](#) if you are fever-free for 24 hours (without the use of fever-reducing medication) and your symptoms are improving.

Ending isolation if you did NOT have symptoms

[End isolation after at least 5 full days](#) after your positive test.

If you got very sick from COVID-19 or have a weakened immune system

You should isolate for at least 10 days. [Consult your doctor before ending isolation.](#)

Take precautions until day 10

Wear a well-fitting mask

Wear a [well-fitting mask](#) for 10 full days any time you are around others inside your home or in public. Do not go to places where you are unable to wear a mask.

Do not travel

[Do not travel](#) until a full 10 days after your symptoms started or the date your positive test was taken if you had no symptoms.

Avoid being around people who are more likely to get very sick from COVID-19.

CDC Healthcare Worker Guidance

Work Restrictions for HCP With SARS-CoV-2 Infection and Exposures

“Up to Date” with all recommended COVID-19 vaccine doses is defined in [Stay Up to Date with Your Vaccines | CDC](#)

For more details, including recommendations for healthcare personnel who are immunocompromised, have severe to critical illness, or are within 90 days of prior infection, refer to [Interim Guidance for Managing Healthcare Personnel with SARS-CoV-2 Infection or Exposure to SARS-CoV-2](#) (conventional standards) and [Strategies to Mitigate Healthcare Personnel Staffing Shortages](#) (contingency and crisis standards).

Work Restrictions for HCP With SARS-CoV-2 Infection

Vaccination Status	Conventional	Contingency	Crisis
Up to Date and Not Up to Date	10 days OR 7 days with negative test [†] , if asymptomatic or mild to moderate illness (with improving symptoms)	5 days with/without negative test, if asymptomatic or mild to moderate illness (with improving symptoms)	No work restriction, with prioritization considerations (e.g., types of patients they care for)

Work Restrictions for Asymptomatic HCP with SARS-CoV-2 Exposures

Vaccination Status	Conventional	Contingency	Crisis
Up to Date	No work restrictions, with negative test on days 1 [‡] and 5-7	No work restriction	No work restriction
Not Up to Date	10 days OR 7 days with negative test [†]	No work restriction with negative tests on days 1 [‡] , 2, 3, & 5-7 (if shortage of tests prioritize Day 1 to 2 and 5-7)	No work restrictions (test if possible)

[†]Negative test result within 48 hours before returning to work

[‡]For calculating day of test: 1) for those with infection consider day of symptom onset (or first positive test if asymptomatic) as day 0; 2) for those with exposure consider day of exposure as day 0



CS328856-A | 01/07/2022

cdc.gov/coronavirus

