Department of Health

COVID-19 Update



Charlotte Update

36,528 total cases

• December 2021-1,346 December 2020-2,411

• January 2022- 7,770 January 2021- 2,086

• February 2022-2,334 February 2021-927

March 2022-533
 March 2021-24

April 2022-548 April 2021-1,138


May 2022- 194 May 2021-886

• New weekly case Positivity 10.5%

• State Average 9%

Treatment Options

Monoclonal Antibody Preventative Monoclonal Antibody Therapy Treatments Preventative Monoclonal Antibody Molnupiravir



- Tringali site demobilized.
 - On standby if needed.
- 5 Oral antiviral sites
- 2 Hospitals with Monoclonals
- Mid county test site still open
- Vaccine and monoclonal support for Long term facilities.

https://floridahealthcovid19.gov/treatments/treatmentlocator/

Charlotte Status

Medium

What Prevention Steps Should You Take Based on Your COVID-19 Community Level?

Low	Medium	High
Stay <u>up to date</u> with COVID-19 vaccines Get tested if you have symptoms	 If you are at high risk for severe illness, talk to your healthcare provider about whether you need to wear a mask and take other precautions Stay up to date with COVID-19 vaccines Get tested if you have symptoms 	 Wear a <u>mask</u> indoors in public Stay <u>up to date</u> with COVID-19 vaccines <u>Get tested</u> if you have symptoms Additional precautions may be needed for people <u>at high risk for severe illness</u>

People may choose to mask at any time. People with symptoms, a positive test, or exposure to someone with COVID-19 should wear a mask. Masks are required on <u>public transportation</u> and may be required in other places by local or state authorities.


COVID Cases

Cases & Deaths in Charlotte County, Florida

Data through Wed May 04 2022

Total Cases	167
Case Rate (last 7 days)	88.40
% Change (last 7 days)	21.9


Total Deaths	<10
Death Rate (last 7 days)	suppressed
% Change (last 7 days)	200



Testing

Testing in Charlotte County, Florida






Hospitalizations

Hospitalizations in Charlotte County, Florida





Strategy/Updates

Who Can Get a Booster

ELIGIBLE FOR 1 Booster

Everyone ages 12 years and older can get 1 booster after completing their <u>COVID-19 vaccine primary</u> <u>series</u>.

Learn when you can get your 1st booster below.

2 Boosters

- Adults ages 50 years and older
- People ages 12 years and older who are moderately or severely immunocompromised
- People who got 2 doses (1 primary dose and 1 booster) of Johnson & Johnson's Janssen vaccine

Learn when you can get your 2nd booster below and what you should consider.

- CDC updates community level guidelines based upon transmission of COVID-19.
 - CDC County Check tool added to web.
- Mid county test site open.
- Multiple therapeutics available on state web page.
- Continue testing and vaccination strategies.
- Additional booster available for ages 50+.
- Continue rapid Infection control assessments.
- Vaccination efforts continue. (75% total pop 5+)
- Continued focus on ILI and respiratory illnesses.
- Continue to monitor unmet needs and respond appropriately.
- Federal site for home tests. https://www.covidtests.gov/

CDC Guidance

When to Stay Home

Calculating Quarantine

The date of your exposure is considered day 0. Day 1 is the first full day after your last contact with a person who has had COVID-19. Stay home and away from other people for at least 5 days. Learn why CDC updated guidance for the general public.

After quarantine

IF YOU Were exposed to COVID-19 and are NOT up to date on COVID-19 vaccinations

Quarantine for at least 5

Stay home

Stay home and quarantine for at least 5 full days.

Wear a well-fitting mask if you must be around others in your home.

Do not travel.

Get tested

Even if you don't develop symptoms, get tested at least 5 days after you last had close contact with someone with COVID-19.

IF YOU Were exposed to COVID-19 and are up to date on COVID-19 vaccinations

IF YOU were exposed to COVID-19 and had confirmed COVID-19 within the past 90 days (you tested positive using a viral test)

No quarantine

You do not need to stay home unless you develop

Even if you don't develop symptoms, get tested at least 5 days after you last had close contact with someone with COVID-19.

No quarantine

You do not need to stay home unless you develop

close contact with

If you develop symptoms Isolate immediately and get tested. Continue to stay home until you know the results. Wear a wellfitting mask around

others.

Take precautions until day 10

Wear a well-fitting mask

take precautions

Wear a well-fitting mask for 10 full

public. Do not go to places where

you are unable to wear a well-fitting

If you must travel during days 6-10,

Avoid being around people who are

more likely to get very sick from

Take precautions until day 10

days any time you are around

others inside your home or in

Take precautions until day 10

days any time you are around

others inside your home or in

Wear a well-fitting mask for 10 full

public. Do not go to places where

Wear a well-fitting mask

Wear a well-fitting mask for 10 full

public. Do not go to places where

you are unable to wear a well-fitting

Wear a well-fitting mask

days any time you are around

others inside your home or in

Watch for symptoms Watch for symptoms until 10 days after you last had close contact with someone with COVID-19

Avoid travel

It is best to avoid travel until a full 10 days after you last had close contact with someone with COVID-19

If you develop symptoms Isolate immediately and get tested. Continue to

stay home until you know the results. Wear a wellfitting mask around others

Watch for symptoms

Watch for symptoms until 10 days after you last had close contact with someone with COVID-19.

If you develop symptoms Isolate immediately and get tested. Continue to stay home until you know the results. Wear a well-

Take precautions if traveling fitting mask around Avoid being around people who are more likely to get very sick from COVID-19.

Watch for symptoms

Watch for symptoms until 10 days after you last had someone with COVID-19.

you are unable to wear a well-fitting Take precautions if traveling

Avoid being around people who are more likely to get very sick from COVID-19

Calculating Isolation

Day 0 is your first day of symptoms or a positive viral test. Day 1 is the first full day after your symptoms developed or your test specimen was collected. If you have COVID-19 or have symptoms, isolate for at least 5 days.

IF YOU Tested positive for COVID-19 or have symptoms, regardless of vaccination status

Stay home for at least 5

Stay home for 5 days and isolate from others in your home.

Wear a well-fitting mask if you must be around others in your home.

Do not travel

Ending isolation if you had symptoms

End isolation after 5 full days if you are fever-free for 24 hours (without the use of fever-reducing medication) and your symptoms are improving.

Ending isolation if you did NOT have symptoms End isolation after at least

5 full days after your positive test.

If you got very sick from COVID-19 or have a weakened immune system

You should isolate for at least 10 days. Consult your doctor before ending isolation.

Take precautions until day 10

Wear a well-fitting mask

Wear a well-fitting mask for 10 full days any time you are around others inside your home or in public. Do not go to places where you are unable to wear a mask.

Do not travel

Do not travel until a full 10 days after your symptoms started or the date your positive test was taken if you had no symptoms.

Avoid being around people who are more likely to get very sick from COVID-19.

CDC Healthcare Worker Guidance

Work Restrictions for HCP With SARS-CoV-2 Infection and Exposures

"Up to Date" with all recommended COVID-19 vaccine doses is defined in Stay Up to Date with Your Vaccines | CDC

For more details, including recommendations for healthcare personnel who are iimmunocompromised, have severe to critical illness, or are within 90 days of prior infection, refer to <u>Interim Guidance for Managing Healthcare Personnel with SARS-CoV-2 Infection or Exposure to SARS-CoV-2</u> (conventional standards) and <u>Strategies to Mitigate Healthcare Personnel Staffing Shortages</u> (contingency and crisis standards).

Work Restrictions for HCP With SARS-CoV-2 Infection

Vaccination Status	Conventional	Contingency	Crisis
Up to Date and Not Up to Date	10 days OR 7 days with negative test [†] , if asymptomatic or mild to moderate illness (with improving symptoms)	5 days with/without negative test, if asymptomatic or mild to moderate illness (with improving symptoms)	No work restriction, with prioritization considerations (e.g., types of patients they care for)

Work Restrictions for Asymptomatic HCP with SARS-CoV-2 Exposures

Vaccination Status	Conventional	Contingency	Crisis
Up to Date	No work restrictions, with negative test on days 1 [‡] and 5–7	No work restriction	No work restriction
Not Up to Date	10 days OR 7 days with negative test [†]	No work restriction with negative tests on days 1 [‡] , 2, 3, & 5–7 (if shortage of tests prioritize Day 1 to 2 and 5-7)	No work restrictions (test if possible)

†Negative test result within 48 hours before returning to work

‡For calculating day of test: 1) for those with infection consider day of symptom onset (or first positive test if asymptomatic) as day 0; 2) for those with exposure consider day of exposure as day 0



cdc.gov/coronavirus