


CHARLOTTE COUNTY PUBLIC WORKS ENGINEERING DIVISION

PLANS OF PROPOSED

Sidewalk Design Placida Road

Boca Grande Causeway to Cape Haze Drive

COUNTY PROJECT NO. 13-159



GOVERNING SPECIFICATIONS:
STATE OF FLORIDA, DEPARTMENT OF
TRANSPORTATION, STANDARD SPECIFICATIONS,
DATED 2015, AND SUPPLEMENTS THERETO AS NOTED
IN THE SPECIAL PROVISIONS FOR THIS PROJECT.

CHARLOTTE COUNTY
BOARD OF COUNTY COMMISSIONERS

DISTRICT 1 - KEN DOHERTY
DISTRICT 2 - CHRIS CONSTANCE
DISTRICT 3 - BILL TRUOX
DISTRICT 4 - STEPHEN R. DEUTSCH
DISTRICT 5 - TRICIA DUFFY

DIRECTOR OF PUBLIC WORKS
DANNY QUICK, P.E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING
410 TAYLOR STREET, UNIT 104
PUNTA GORDA, FLORIDA 33950
(941) 575-3600

100% PLANS



ENGINEERING CERTIFICATION
I HEREBY CERTIFY THAT THE DESIGN OF THIS PROJECT UNDER MY DIRECTION
COMPLIES WITH THE CURRENT MANUAL OF UNIFORM MINIMUM STANDARDS FOR
DESIGN, CONSTRUCTION, AND MAINTENANCE FOR STREETS AND HIGHWAYS AS
ADOPTED BY THE F.D.O.T. PURSUANT TO SUBSECTION 336.045 OF THE FLORIDA
STATUTES.

DATE _____ A. J. WICKERSON, P.E. NO. 58397

GWE PROJ. NO. 6139
SHEET 01
APRIL 2016

SHEET INDEX

SHEET NO.	SHEET DESCRIPTION
1	COVER
2 & 3	AERIAL - PROJECT LAYOUT
4	TYPICAL SECTIONS & GENERAL NOTES
5 & 6	STANDARDS & DETAILS
PP1 - PP8	PLAN & PROFILE
XS1 - XS10	CROSS SECTIONS
BMP-DTL	BMP DETAILS
BMP1 - BMP5	BMP PLANS
UTL1 - UTL3	UTILITY ADJUSTMENT PLAN & PROFILE
ITS1 - ITS6	ITS CONDUITS PLAN
MOT-1	MAINTENANCE OF TRAFFIC
SPM1 - SPM5	SIGNING & PAVEMENT MARKING



CHARLOTTE CO.

LOCATION MAP




RNG. 20E
RNG. 21E

48 HOURS BEFORE DIGGING
"CALL SUNSHINE"
1-800-432-4770

**ATTENTION IS DIRECTED TO THE FACT THAT
THESE PLANS MAY HAVE BEEN REDUCED IN
SIZE BY REPRODUCTION. THIS MUST BE
CONSIDERED WHEN OBTAINING SCALED DATA.
NOTE THAT THESE PLANS ARE SCALED FOR
FULL SIZE (22"x34") SHEETS: 1"=20', UNLESS
OTHERWISE SPECIFIED.**

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285



DATE	REVISION	BY	DATE	REVISION

GWE GIFFELS-WEBSTER ENGINEERS, INC.
 Certificate of Authorization No. 3607

900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285


DATE	CKD. BY	DATE
04/17/14	JHC	04/14
DESIGN KEF/AJW	JHC	04/14
SECS. 2,3,11 & 12	T. 42 S. R. 20 E.	

CHARLOTTE COUNTY PUBLIC WORKS ENGINEERING

Placida Road Sidewalk Design
 Boca Grande Causeway to Cape Haze Drive
 AERIAL PLAN

SCALE	1"= 60'
SHEET	2
GWE NO.	6139.00

ENGINEER OF RECORD
 A.J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397




SEE SHEET 2 BOTTOM RIGHT

SEE MIDDLE LEFT

SHEET PP5

SHEET PP6



SEE TOP RIGHT

SHEET PP6

SHEET PP7

SHEET PP8

DATE	REVISION	BY	DATE	REVISION

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285

DATE	04/17/14	CKD. BY	DATE
DRAWN	KEF	JHC	04/14
DESIGN	KEF/AJW	JHC	04/14
SECS.	2,3,11 & 12	T. 42 S.	R. 20 E.


CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road Sidewalk Design
Boca Grande Causeway to Cape Haze Drive
AERIAL PLAN


SCALE 1" = 60'
SHEET 3
GWE NO. 6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58387


ASPHALT SIDEWALK BID OPTION:
PROJECT BID FORM INCLUDES PAY ITEMS FOR 4" CONCRETE SIDEWALK, AND THE FOLLOWING ALTERNATIVE PAY ITEMS FOR ASPHALT SIDEWALK:
- 7" LIMEROCK (LBR 100) OPTIONAL BASE GROUP 5
- TYPE S-3 ASPHALTIC CONCRETE SURFACE COURSE
**** ASPHALT SIDEWALK SHALL BE 1-3/4" THICK ****
CONSTRUCT 7" LIMEROCK BASE AND ASPHALT SIDEWALK ON 8" STABILIZED SUBGRADE (LBR40) PER PLANS




TYPICAL SIDEWALK SECTION w/ PAVED SHOULDER & MODIFIED D-CURB
NOT TO SCALE
(SIDEWALK ADJACENT TO ROADWAY)




TYPICAL SIDEWALK SECTION
NOT TO SCALE
(AT R/W)



TYPICAL SIDEWALK SECTION w/ PAVED SHOULDER, MODIFIED D-CURB AND GRAVITY WALL
NOT TO SCALE
(SIDEWALK ADJACENT TO ROADWAY)




w/ GRAVITY WALL
NOT TO SCALE
(SIDEWALK w/ 15-FT SEPARATION FROM ROADWAY)



TYPICAL SIDEWALK SECTION
NOT TO SCALE
(SIDEWALK w/ 15-FT SEPARATION FROM ROADWAY)

NOTES:
(1) RESTRIPE 6-INCH WHITE LINE WITH THERMOPLASTIC AND INSTALL AUDITORY AND VIBRATORY MARKING: USE "PROFILED THERMOPLASTIC" "VIBRALINE" PRODUCT WWW.ENNISFLINT.COM OR SUBMIT EQUAL FOR COUNTY APPROVAL
(2a) ASPHALT SHOULDER PAVEMENT TO REMAIN WHERE EXISTING; SAWCUT FOR CLEAN EDGE
(2b) REMOVE EXISTING GRASS SHOULDER WHERE EXISTING; SAWCUT EXISTING PAVEMENT AND CONSTRUCT:
ASPHALT ROADWAY SECTION 10" LIMEROCK BASE (LBR 100) OPTIONAL BASE GROUP 9 w/ TYPE S-1 ASPHALTIC CONCRETE STRUCTURAL COURSE (3" THICK), AND TYPE S-3 ASPHALTIC CONCRETE SURFACE COURSE (1" THICK)

LEGEND



LEGEND:

- = Found 4"x4" Concrete Monument (number noted if any)
- = Found No. 5 Rebar (I.D. noted if any)
- ▲ = Found P.K. Nail and Disc (I.D. noted if any)
- = Spot Elevation
- = Set 4"x4" Concrete Monument with Cap L.B. #3943
- = Set No. 5 Rebar with Cap L.B. #3943
- ⊗ = Set Mag. Nail and Disc L.B. #3943
- = Utility Pole
- ⊕ = Guy Wire Anchor
- ⊗ = Water Meter
- ⊕ = Water Valve
- ⊗ = Sewer Valve
- ⊕ = Sewer Service
- ⊗ = Fire Hydrant
- ⊕ = Sewer Cleanout
- ⊗ = Water Service
- ⊕ = Well/Monitor/Irrigation
- ⊗ = Sanitary Sewer Manhole
- ⊕ = Storm Manhole
- ⊗ = Miscellaneous Manhole
- ⊕ = Electric Service
- ⊗ = Electric Hand Hole/Manhole
- ⊕ = Telephone Riser/Hand Hole
- ⊗ = Cable TV
- ⊕ = Mail Box
- ⊗ = Road Sign
- ⊕ = Light Pole
- ⊗ = Street Light Box
- ⊕ = Ground Light
- ⊗ = Backflow Preventer
- ⊕ = Overhead Utility Line
- ⊗ = Barb Wire or Wire Fence
- ⊕ = Chain Link Fence
- ⊗ = Wooden Fence
- ⊕ = Buried Water Line
- ⊗ = Buried Telephone Line
- ⊕ = Buried Sanitary Sewer
- ⊗ = Buried Electric Line
- ⊕ = Buried Reuse Water Line
- ⊗ = Buried Gas Line

ABBREVIATIONS:

- Alum.=Aluminum
- Approx.=Approximate
- B.M.=Bench Mark
- (C)=Calculated data
- G.=Chord dimension
- C.B.=Chord Bearing
- C.M.=Concrete Monument
- Conc.=Concrete
- (D)=Deed data, Description data
- D.E.P.=Department of Environmental Protection
- D.N.R.=Department of Natural Resources
- D.O.T.=Department of Transportation
- Drain.=Drainage
- El.=Elevation
- Es'tmt=Easement
- (F)=Field data
- Fin. Fl.=Finished Floor
- Find.=Found
- Gar. Fl.=Garage Floor
- Inv.=Invert
- L.B.=Land Surveying Business
- L.S.=Land Surveyor
- (M)=Measured data
- M.H.W.L.=Mean High Water Line
- M.P.=Metal Pipe
- M.R.=Metal Rod
- Mag.=Magnetic
- N.A.V.D.=North American Vertical Datum 1988
- N.G.V.D.=National Geodetic Vertical Datum 1929
- O.R.=Official Records
- (P)=Plot data
- P.C.=Point of Curvature
- P.C.C.=Point of Compound Curvature
- P.C.P.=Permanent Control Point
- P.I.=Point of Intersection
- P.K.=PARKER-KALON
- P.L.S.=Professional Land Surveyor
- P.O.B.=Point of Beginning
- P.O.C.=Point of Commencement
- P.O.L.=Point on Line
- P.O.T.=Point of Terminus
- P.R.C.=Point of Reverse Curvature
- P.R.M.=Permanent Reference Monument
- P.S.M.=Professional Surveyor and Mapper
- P.T.=Point of Tangency
- R.=Radius
- R/W=Right-of-Way
- S.F.=Square Feet
- Sta.=Station
- Struc.=Structure
- T.B.M.=Temporary Bench Mark
- Typ.=Typical
- (U)=Unrecorded data
- U.S.G.S.=United States Geodetic Survey
- Util.=Utility
- Wit. Cor.=Witness Corner
- WTWY=Waterway
- ⊕ =Centerline
- ⊗ =Property Line

ORDINANCE 85-43 NOTE:

ORDINANCE 85-43 REQUIRES A STATEMENT WHETHER PROPOSED SWALE GRADES ARE CONSISTENT WITH ORIGINAL DRAINAGE PLANS.
THE PROPOSED GRADES ON THESE PLANS ARE CONSISTENT WITH THE ORIGINAL GRADES. THE PROPOSED SWALE FLOWS HAVE NOT BEEN REDESIGNED AND THE ONLY MINOR MODIFICATIONS IS THAT THE FLOWLINE LOCATION ADJACENT TO THE PROPOSED SIDEWALK HAS BEEN ADJUSTED. UPSTREAM SWALES OUTSIDE THE PROJECT AREA ARE NOT ALTERED. NO ADVERSE IMPACT FROM THIS SIDEWALK PROJECT IS FORESEEN. ENGINEER DOES NOT MAKE ANY STATEMENT AS TO NON R/W DRAINAGE PATTERNS BEYOND THE EXTENT OF THE SURVEY AND PROJECT AREA.

1. CONCRETE SIDEWALKS SHALL BE CONSTRUCTED PER F.D.O.T. INDEX NO. 310 AND F.D.O.T. STANDARD SPECIFICATION NO. 522. CURB CUT RAMP RUNS SHALL BE FINISHED IN ACCORDANCE WITH INDEX NO. 304 EXCEPT AMENDMENTS TO DESIGN PER CHARLOTTE COUNTY SIDEWALKS SPECIFICATIONS & DETAILS. CLASS 1 CONCRETE, 3,000 PSI @ 28 DAYS SHALL BE USED FOR ALL CONCRETE STRUCTURES.
2. THERE SHALL BE NO CHANGE OR DEVIATION OF THESE PLANS OR SPECIFICATIONS UNLESS PRIOR WRITTEN APPROVAL FROM THE COUNTY IS OBTAINED.
3. THE CONTRACTOR SHALL NOTIFY THE COUNTY IMMEDIATELY IF AND WHEN A POSSIBLE ERROR IS FOUND IN THE PLANS OR STAKED ALIGNMENT AND/OR GRADES. THE COUNTY MAY ACCEPT, REVISE TO ACCOMMODATE CONDITIONS, OR REJECT THE FACILITY BEING CONSTRUCTED. IT IS IMPERATIVE THAT THE CONTRACTOR NOTIFY THE COUNTY OF THESE SITUATIONS AS SOON AS POSSIBLE, PRIOR TO EXPENDITURE OF FUNDS.
4. THE CONTRACTOR SHALL CONTACT ALL UTILITY COMPANIES AND COORDINATE RELOCATIONS PRIOR TO THE BEGINNING OF ANY CONSTRUCTION. THE CONTRACTOR SHALL BE RESPONSIBLE TO IDENTIFY AND REPORT THE EXACT LOCATION OF ALL EXISTING UTILITIES WITHIN THE CONSTRUCTION LIMITS, WHETHER THEY ARE IDENTIFIED ON THE DRAWINGS OR NOT.
5. EROSION AND SEDIMENT CONTROL BEST MANAGEMENT SHALL BE OBSERVED DURING CONSTRUCTION BY THE CONTRACTOR. THE METHODS WHICH SHOULD BE USED INCLUDE BUT ARE NOT LIMITED TO:
 - A. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY SILTATION CAUSED BY CONSTRUCTION ACTIVITY, ENTERING THE STORM DRAINAGE SYSTEM BOTH ON-SITE AND OFF-SITE. THE CONTRACTOR SHALL UTILIZE SAND BAGS AND SILT FENCES OR OTHER EROSION CONTROL METHODS TO CONTROL EROSION.
 - B. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE CONTROL OF DUST AT ALL TIMES DURING CONSTRUCTION BY UTILIZING WATER TRUCKS, ANTI-DRAFT FENCING, OR OTHER APPROVED METHODS, AND BY COVERING OPEN BODIED TRUCKS TRANSPORTING DEBRIS.
 - C. EROSION CONTROL MEASURES SHALL BE PROVIDED PER F.D.O.T. INDEX NOS. 100 - 105 AS APPLICABLE.
6. THE STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION GENERIC PERMIT FOR STORMWATER DISCHARGES FROM LARGE AND SMALL CONSTRUCTION ACTIVITIES, HEREIN REFERRED TO AS THE DEP GENERIC PERMIT, APPLIES TO THIS PROJECT. THE DEP GENERIC PERMIT IS ISSUED UNDER THE STATE OF FLORIDA'S AUTHORITY TO ADMINISTER THE NPDES STORMWATER PROGRAM. THE CONTRACTOR SHALL PREPARE AND SUBMIT A NOTICE OF INTENT (NOI) TO USE AND OBTAIN COVERAGE UNDER THE DEP GENERIC PERMIT PRIOR TO CONSTRUCTION. ALL PERMIT FEES SHALL BE PAID BY THE CONTRACTOR.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTENANCE, INCLUDING MOWING AND CLEANUP UNTIL THE PROJECT IS ACCEPTED. IF BY THEN THE GROWTH IS NOT FIRMLY ESTABLISHED, THEN THE CONTRACTOR WILL CONTINUE TO BE RESPONSIBLE FOR MAINTENANCE UNTIL THE GROWTH IS ESTABLISHED.
8. THE CONTRACTOR SHALL USE EXTREME CARE NOT TO DAMAGE THE ROOT SYSTEMS OF TREES AND OTHER LANDSCAPE FEATURES WHICH ARE TO BE SAVED AND/OR SALVAGED FOR RESTORATION PURPOSES. NO EQUIPMENT, SUPPLIES, OR VEHICLES SHALL BE STORED WITHIN THE DRIP LINE OF TREES TO REMAIN AND BE PRESERVED.
9. AS PART OF CLEARING AND GRUBBING, ALL DEBRIS IS TO BE REMOVED FROM THE PROJECT SITE AND SALVAGED BY THE CONTRACTOR OR TRANSPORTED TO A LEGAL DISPOSAL AREA. NO BURNING SHALL BE ALLOWED.
10. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO EXAMINE THE JOB SITE, REVIEW THE CONSTRUCTION AND DESIGN REQUIREMENTS, PROJECT PERMITS, CONDITIONS, STIPULATIONS, AND RESTRICTIONS AS NECESSARY TO FAMILIARIZE HIMSELF WITH THE ENTIRE PROJECT PRIOR TO BIDDING.
11. THE COUNTY SHALL SECURE AN INDEPENDENT TESTING LABORATORY DURING CONSTRUCTION TO PERFORM SUCH TESTING AS NEEDED TO CERTIFY THAT THE MATERIAL AND STRUCTURAL COMPONENT SPECIFICATIONS NOTED HAVE BEEN MET. THE CONTRACTOR SHALL ALSO SUBMIT, FOR REVIEW AND APPROVAL, TO THE ENGINEER OF RECORD A MINIMUM OF FOUR COPIES OF SHOP DRAWINGS AND/OR MATERIAL CERTIFICATIONS FOR ALL MATERIALS PRIOR TO ORDERING SAME FOR THE PROJECT.
12. THE CONTRACTOR SHALL CLEAR THE SITE ONLY TO THE EXTENT NECESSARY TO CONSTRUCT THE REQUIRED IMPROVEMENTS. DEBRIS SHALL BE PROPERLY DISPOSED OF BY THE CONTRACTOR, AT HIS EXPENSE. NO BURNING SHALL BE ALLOWED.
13. ALL DISTURBED GRASSED AREAS SHALL BE GRADED FOR POSITIVE DRAINAGE AND STABILIZED BY SODDING.
14. ALL CONSTRUCTION SHALL COMPLY WITH THE FLORIDA ACCESSIBILITY CODE AT CURBS, GUTTERS, SIDEWALKS, INTERSECTIONS, ETC. HANDICAP RAMP ARE TO BE PER THE LATEST FDOT AND CHARLOTTE COUNTY SPECIFICATION AND DETAIL. SAW CUTTING GROOVES IN RAMP IS NON-CONFORMING AND POSES A LIABILITY.
15. CULVERT LENGTHS SHOWN ON PLANS ARE CENTER OF STRUCTURE TO CENTER OF STRUCTURE. CULVERT LENGTHS SHOWN ON PLANS EXCLUDE THE MITERED END SECTION.
16. MITERED END SECTIONS (MES) WHERE SPECIFIED SHALL BE CONSTRUCTED PER F.D.O.T. INDEXES NO. 272 AND 273 AS CALLED FOR ON THE PLANS.
17. ALL PIPE JOINTS SHALL BE WRAPPED PER F.D.O.T. INDEX NO. 280.
18. FILL MATERIAL, PLACED IN THE RIGHT OF WAY, SHALL BE COMPACTED TO 98% MODIFIED PROCTOR DENSITY IN SIX (6) INCH LIFTS MAXIMUM - UNLESS SPECIFICATIONS ALLOW OTHERWISE.
19. FILL MATERIAL UTILIZED SHALL BE TYPE A-3.
20. CONTRACTOR TO ADHERE TO THE GUIDELINES OF THE FLORIDA "TRENCH AND SAFETY ACT".
21. PLAN GRADES, ON GRASSED AREAS, INDICATES TOP OF SOD.
22. SEE SIGNING AND PAVEMENT MARKING PLANS FOR RELOCATION OF ALL SIGNS AFFECTED BY SIDEWALK DESIGNS.
23. CULVERT EXTENSION LENGTHS SHOWN ON PLANS DO NOT INCLUDE THE LENGTH OF DAMAGED ENDS OF EXISTING CULVERTS. THE EXTENT OF DAMAGE SHALL BE DETERMINED AND THE LENGTH OF EXTENSION INCREASED, ACCORDINGLY. PIPE ENDS SHALL BE SAWCUT BY THE CONTRACTOR AT HIS EXPENSE.
24. CONTRACTOR SHALL VERIFY EXISTING CULVERT SIZES, WHERE PROPOSED EXTENSIONS OR CONNECTIONS ARE SPECIFIED ON PLANS, PRIOR TO ORDERING NEW CULVERT MATERIAL.
25. MODIFICATION OF EXISTING UTILITIES SHALL CONFORM TO CHARLOTTE COUNTY UTILITIES STANDARDS AND SPECIFICATIONS.
26. WATER METER RELOCATION, WHERE SPECIFIED ON PLANS, SHALL INCLUDE SERVICE PIPE RECONNECTION.
27. MAILBOX INSTALLATION AND RELOCATION, WHERE SPECIFIED ON PLANS, SHALL CONFORM TO F.D.O.T. INDEX NO. 532.
28. REMOVAL OF PROTECTED TREE SPECIES SHALL REQUIRE A TREE REMOVAL PERMIT.
29. CONCRETE JACKETS, AROUND METAL CULVERTS, SHALL BE INSTALLED WHERE EXTENSIONS REQUIRING BENDS ARE DESIGNATED ON PLANS. EXISTING METAL CULVERTS TO BE SAWCUT AT APPROPRIATE ANGLE.
30. IT IS THE CONTRACTOR'S RESPONSIBILITY TO ALLOW HOMEOWNER'S REASONABLE ACCESS TO THEIR PROPERTY AT ALL TIMES DURING CONSTRUCTION. THIS PROVISION SHALL BE INCIDENTAL TO THE COST OF THE PROJECT.
31. IT IS THE CONTRACTOR'S RESPONSIBILITY TO MAKE PROVISION FOR TEMPORARY MAIL SERVICE, WITHOUT INTERRUPTION OF SERVICE, WHERE NEW OR RELOCATED MAILBOXES ARE SPECIFIED ON PLANS. THIS PROVISION SHALL BE INCIDENTAL TO THE COST OF THE PROJECT.
32. TRAFFIC BEARING GRATES AND RIMS SHALL BE UTILIZED ON ALL PROPOSED STRUCTURES.

DATE	REVISION	BY	DATE	REVISION	BY
11/10/15	90% REVIEW COMMENTS	AJW			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285


DATE	CKD. BY	DATE
06/11/14	JHC	06/14
DESIGN AJW	JHC	06/14
SECS. 2,3,11 & 12	T. 42 S.	R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road Sidewalk Design
Boca Grande Causeway to Cape Haze Drive
TYPICAL SECTIONS & GENERAL NOTES

SCALE	N/A
SHEET	4
GWE NO.	6139.00


ENGINEER OF RECORD
A.J. WICKSON, P.E.
STATE OF FLORIDA NO. 58397




TRUNCATED DOME
 CURB RAMP DETECTABLE WARNING SURFACES SHALL EXTEND THE FULL WIDTH OF THE RAMP AND IN THE DIRECTION OF TRAVEL 24" FROM THE BACK OF CURB. DETECTABLE WARNING SURFACES SHALL BE CONSTRUCTED BY TEXTURING A TRUNCATED DOME PATTERN IN CONFORMANCE WITH U.S. DEPARTMENT OF JUSTICE A.D.A. STANDARDS FOR ACCESSIBLE DESIGN, A.D.A. ACCESSIBILITY GUIDELINES, SECTION 4.29.2. TRANSITION SLOPES ARE NOT TO HAVE DETECTABLE WARNING SURFACE.

**CURB RAMP
 DETECTABLE WARNING SURFACE**
 (REFER TO F.D.O.T. INDEX NO. 304 FOR ADDITIONAL DETAILS)
 NOT TO SCALE

NOTE: IT IS THE CONTRACTOR'S RESPONSIBILITY FOR FEATHERING AND REPLACEMENT OF ASPHALT, AS NECESSARY TO INSURE A SMOOTH TRANSITION, AT PAVEMENT EDGE. THIS WORK IS INCIDENTAL TO THE COST OF THE PROJECT.




SIDEWALK TO EXIST. PAVEMENT DETAIL
 NOT TO SCALE




EXPANSION & TOOLED JOINTS DETAIL
 NOT TO SCALE


SPECIFICATIONS OF CULVERTS
 ALL PROPOSED CULVERTS SHALL BE REINFORCED CONCRETE CLASS III





PLAN
 NOT TO SCALE




CONCRETE JACKET
 NOT TO SCALE



ALUMINUM PIPE HANDRAIL ON GRAVITY WALL DETAIL
 (REFER TO F.D.O.T. INDEX NO. 6011 FOR ADDITIONAL DETAILS)
 NOT TO SCALE



SECTION "A-A"
(RESIDENTIAL)
 NOT TO SCALE



SECTION "A-A"
(COMMERCIAL)
 NOT TO SCALE

NOTE:
 1. SWALES LESS THAN 0.70 OF A FOOT BELOW THE EDGE OF PAVEMENT MAY NOT REQUIRE A CULVERT, BUT SWALES EXCEEDING 0.70 OF A FOOT WILL REQUIRE A CULVERT. THE CULVERT SIZE TO BE SPECIFIED BY THE COUNTY INSPECTOR.
 2. DRIVEWAY CONSTRUCTION TO CONFORM TO CHARLOTTE COUNTY ORDINANCE 85-43.
 3. PROPOSED DRIVEWAYS TO BE CONSTRUCTED WITH CONCRETE UNLESS OTHERWISE DESIGNATED ON PLANS.

CONCRETE SIDEWALKS:



NOTE: SIDEWALKS TO CONSTRUCTED ON MINIMUM 8" STABILIZED SUBGRADE (LBR40)

Concrete Sidewalks shall be constructed to a minimum thickness of four inches (4"), using FDOT Class I Special Concrete with a minimum twenty-eight day compressive strength of 3,000 p.s.i. The contractor will be required to provide the County with the appropriate compressive strength test results. The concrete shall be reinforced with fibermesh. Fibermesh fibers will be mixed in accordance to standards set forth in ASTM C-1116. Reinforcing fibers shall be used in strict accordance with the manufacturer's instructions and recommendations as to the type and amount for uniform distribution. Only fibers specifically designed and manufactured for use in concrete and so certified by the manufacturer shall be acceptable.

Expansion joints shall be provided between existing sidewalks and curbs or driveways and at intersections between sidewalk and other fixed objects, at intervals at new pours, at all cold joints and at the intersection of the sidewalk with asphalt pavements. The spacing for contraction/control joints shall be equivalent to the sidewalk width. Expansion joints shall be spaced no greater than 40 feet apart and at an even joint. Tooled joints shall be straight and perpendicular to the edge of the sidewalk. The Contractor shall use expansion joint caps with removable cap strips as manufactures by Vynylex Corporation. Expansion joint sealer shall be Sikaflex 1CSL as manufactured by Sika USA or equivalent approved. Expansion joint sealer shall not be placed in depths greater than 3/4" at any one (1) time. If the joint requires greater than 3/4" of joint sealer, the Contractor shall place the material in two (2) placements, only after the first placement has sufficiently cured. All removable cap strips shall be placed above the finished sidewalk surface and shall not be tooled over. The removable cap strips shall be pulled and filled with joint sealer within 24 hours of the placement of the concrete.

Where the sidewalk meets pavement including public roads and driveways, the Contractor shall saw cut edge of the existing pavement and provide a thickened surface. The Contractor shall provide tactile (detectable) surfaces per the details in the attachments at all crossings.


Concrete shall be cured in accordance with the requirements of FDOT Specifications Section 520-8.



SECTION "A-A"
 NOT TO SCALE


NOTE:
 1. SWALES LESS THAN 0.70 OF A FOOT BELOW THE EDGE OF PAVEMENT MAY NOT REQUIRE A CULVERT, BUT SWALES EXCEEDING 0.70 OF A FOOT WILL REQUIRE A CULVERT. THE CULVERT SIZE TO BE SPECIFIED BY THE COUNTY INSPECTOR.
 2. DRIVEWAY CONSTRUCTION TO CONFORM TO CHARLOTTE COUNTY ORDINANCE 85-43.

ASPHALT DRIVEWAY & ROADWAY DETAIL
 NOT TO SCALE



FINISHING EDGE OF CONCRETE SIDEWALK DETAIL
 NOT TO SCALE

ALL CONCRETE SIDEWALK EDGES, INCLUDING THOSE AT FORMED JOINTS, SHALL BE FINISHED WITH AN EDGER HAVING A RADIUS OF 3 mm. 1/8 INCH. TRAVERSE JOINT SHALL BE EDGED BEFORE BROOMING, AND THE BROOMING SHALL ELIMINATE THE FLAT SURFACE LEFT BY THE SURFACE FACE OF THE EDGER. CORNERS AND EDGES WHICH HAVE CRUMBLLED AND AREAS WHICH LACK SUFFICIENT MORTAR FOR PROPER FINISHING SHALL BE CLEANED AND FILLED SOLIDLY WITH A PROPERLY PROPORTIONED MORTAR MIXTURE AND THEN FINISHED.



SIDEWALK MINIMUM CLEARANCE STANDARDS RURAL DESIGN
 NOT TO SCALE

DATE	REVISION	BY	DATE	REVISION	BY
8/11/14	60% REVIEW COMMENTS	AJW			
11/10/15	90% REVIEW COMMENTS	AJW			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
 Certificate of Authorization No. 3607

900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285


DATE	CKD. BY	DATE
06/11/14	JHC	06/14
DESIGN	AJW	JHC 06/14
SECS. 2,3,11 & 12	T. 42 S.	R. 20 E.

CHARLOTTE COUNTY
 PUBLIC WORKS
 ENGINEERING

Placida Road Sidewalk Design
 Boca Grande Causeway to Cape Haze Drive
 STANDARDS & DETAILS

SCALE	N/A
SHEET	5
GWE NO.	6139.00

ENGINEER OF RECORD
 A. J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397




NOTES:

- AT ALL TIMES DURING CONSTRUCTION, THE CONTRACTOR SHALL KEEP EXCAVATIONS DRY AND FREE FROM STANDING WATER.
- FOUNDATION STABILIZATION MATERIAL SHALL BE REQUIRED AS SPECIFIED IN THE PLANS OR AS DIRECTED BY CHARLOTTE COUNTY. WHEN, IN THE OPINION OF CHARLOTTE COUNTY, THE EXISTING MATERIAL IN THE BOTTOM OF THE TRENCH IS UNSUITABLE FOR SUPPORTING THE PIPE, EXCAVATE BELOW THE FLOW LINE OF THE PIPE, AS DIRECTED BY THE COUNTY. BACKFILL THE TRENCH TO SPECIFIED PIPE GRADE WITH FOUNDATION STABILIZATION MATERIAL. IF THE TRENCH IS PROPERLY DEWATERED, SUITABLE BACKFILL MATERIAL MAY BE USED FOR STABILIZATION. CRUSHED ROCK SHALL BE USED WHEN A DRY TRENCH CANNOT BE OBTAINED. PLACE THE FOUNDATION STABILIZATION MATERIAL OVER THE FULL WIDTH OF THE TRENCH AND COMPACT IN LAYERS NOT EXCEEDING SIX (6) INCHES DEEP TO THE REQUIRED GRADE.
- PIPELINE TRENCHES SHALL BE BACKFILLED WITH A SELECT BACKFILL MATERIAL TO A LEVEL TWELVE INCHES (12") ABOVE THE TOP OF THE PIPE. SUCH MATERIAL SHALL BE PLACED IN SIX INCH (6") LAYERS.
- THE REMAINDER OF THE BACKFILL SHALL BE PLACED IN HORIZONTAL LAYERS, THE DEPTH OF WHICH SHALL NOT EXCEED THE ABILITY OF THE COMPACTION EQUIPMENT EMPLOYED, AND IN NO EVENT SHALL BE EXCEED A DEPTH OF TWELVE INCHES (12").
- ALL FILL TO BE COMPACTED TO 95% OF MAXIMUM DENSITY AS PER AASHTO T-180.
- IF MORE STRINGENT COMPACTION REQUIREMENTS ARE GIVEN IN ANY OTHER DOCUMENTATION APPLICABLE TO THE WORK BEING PERFORMED, THOSE REQUIREMENTS WILL APPLY.
- ALL TRENCH EXCAVATIONS SHALL CONFORM TO THE REQUIREMENTS OF OSHA AND/OR THE FLORIDA TRENCH SAFETY ACT.
- PIPE DEPTH:
 - 12" DIAMETER AND SMALLER SHALL HAVE A MINIMUM COVER OF 30".
 - ABOVE 12" DIAMETER SHALL HAVE A MINIMUM COVER OF 36", UNLESS OTHERWISE NOTED.

STANDARD PIPE TRENCH DETAIL

NOT TO SCALE




NOTES:

- AT ALL TIMES DURING CONSTRUCTION, THE CONTRACTOR SHALL KEEP EXCAVATIONS DRY AND FREE FROM STANDING WATER.
- FOUNDATION STABILIZATION MATERIAL SHALL BE REQUIRED AS SPECIFIED IN THE PLANS OR AS DIRECTED BY CHARLOTTE COUNTY. WHEN, IN THE OPINION OF CHARLOTTE COUNTY, THE EXISTING MATERIAL IN THE BOTTOM OF THE TRENCH IS UNSUITABLE FOR SUPPORTING THE PIPE, EXCAVATE BELOW THE FLOW LINE OF THE PIPE, AS DIRECTED BY THE COUNTY. BACKFILL THE TRENCH TO SPECIFIED PIPE GRADE WITH FOUNDATION STABILIZATION MATERIAL. IF THE TRENCH IS PROPERLY DEWATERED, SUITABLE BACKFILL MATERIAL MAY BE USED FOR STABILIZATION. CRUSHED ROCK SHALL BE USED WHEN A DRY TRENCH CANNOT BE OBTAINED. PLACE THE FOUNDATION STABILIZATION MATERIAL OVER THE FULL WIDTH OF THE TRENCH AND COMPACT IN LAYERS NOT EXCEEDING SIX (6) INCHES DEEP TO THE REQUIRED GRADE.
- PIPELINE TRENCHES SHALL BE BACKFILLED WITH A SELECT BACKFILL MATERIAL TO A LEVEL TWELVE INCHES (12") ABOVE THE TOP OF THE PIPE. SUCH MATERIAL SHALL BE PLACED IN SIX INCH (6") LAYERS.
- THE REMAINDER OF THE BACKFILL SHALL BE PLACED IN HORIZONTAL LAYERS, THE DEPTH OF WHICH SHALL NOT EXCEED THE ABILITY OF THE COMPACTION EQUIPMENT EMPLOYED, AND IN NO EVENT SHALL BE EXCEED A DEPTH OF TWELVE INCHES (12").
- ALL FILL TO BE COMPACTED TO 95% OF MAXIMUM DENSITY AS PER AASHTO T-180.
- IF MORE STRINGENT COMPACTION REQUIREMENTS ARE GIVEN IN ANY OTHER DOCUMENTATION APPLICABLE TO THE WORK BEING PERFORMED, THOSE REQUIREMENTS WILL APPLY.
- ALL TRENCH EXCAVATIONS SHALL CONFORM TO THE REQUIREMENTS OF OSHA AND/OR THE FLORIDA TRENCH SAFETY ACT.
- ALL GRAVITY SEWER PIPE WILL HAVE A MINIMUM OF SIX INCHES (6") STONE BEDDING MATERIAL.
- PIPE DEPTH:
 - 12" DIAMETER AND SMALLER SHALL HAVE A MINIMUM COVER OF 30".
 - ABOVE 12" DIAMETER SHALL HAVE A MINIMUM COVER OF 36", UNLESS OTHERWISE NOTED.

STANDARD PIPE TRENCH DETAIL WITH BEDDING


NOT TO SCALE



VALLEY GUTTER DETAIL


(REFER TO F.D.O.T. INDEX NO. 300, 304 FOR ADDITIONAL DETAILS)

NOT TO SCALE




CLOSED FLUME INLET MODIFIED DETAIL

NOT TO SCALE




METHOD OF CONSTRUCTION FOR WALL EXTENSION OF EXISTING DRAINAGE STRUCTURE MODIFICATION

NOT TO SCALE




METHOD OF CONSTRUCTION FOR EXISTING DRAINAGE STRUCTURE MODIFICATION

NOT TO SCALE




NOT TO SCALE





HORIZONTAL TRANSITION DETAIL


NOT TO SCALE



NOT TO SCALE



NOT TO SCALE



MODIFIED TYPE "D" CURB DETAIL

NOT TO SCALE

N:\6100\5\6139\61395HT 4-6.dwg, 4/11/2016 3:05:46 PM

DATE	REVISION	BY	DATE	REVISION	BY
3/23/16	90% REVIEW COMMENTS	AJW			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
 Certificate of Authorization No. 3607

900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285





DATE	CKD. BY	DATE
06/11/14	JHC	06/14
DESIGN	AJW	JHC 06/14
SECS. 2,3,11 & 12	T. 42 S. R. 20. E.	

CHARLOTTE COUNTY PUBLIC WORKS ENGINEERING

Placida Road Sidewalk Design
 Boca Grande Causeway to Cape Haze Drive
 STANDARDS & DETAILS

SCALE	N/A
SHEET	6
GWE NO.	6139.00

ENGINEER OF RECORD
 A. J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397



N:\6100\5\6139\6139-DESIGN-P&P.dwg, 4/11/2016 2:05:08 PM

DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285





DATE 04/17/14	CKD. BY DATE
DRAWN KEF	JHC 04/14
DESIGN KEF/AJW	JHC 04/14
SECS. 2,3,11 & 12	T. 42 S. R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
PLAN & PROFILE

SCALE 1"=20' HORIZ. 1/2"=2' VERT.
SHEET PP2
GWE NO. 6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



N:\6100\56139\6139-DESIGN-P&P.dwg, 4/11/2016 2:06:09 PM

DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285





DATE	04/17/14	CKD BY	DATE
DRAWN	KEF	JHC	04/14
DESIGN	KEF/AJW	JHC	04/14
SECS.	2,3,11 & 12	T. 42 S. R. 20 E.	

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
PLAN & PROFILE

SCALE	1"=20' HORIZ. 1"=2' VERT.
SHEET	PP3
GWE NO.	6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285

DATE 04/17/14	CKD. BY DATE
DRAWN KEF	JHC 04/14
DESIGN KEF/AJW	JHC 04/14
SECS. 2,3,11 & 12	T. 42 S. R. 20 E.





CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
PLAN & PROFILE

SCALE 1"=20' HORZ. 1"=2' VERT.
SHEET PP4
GWE NO. 6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397

N:\61005\6139\6139-DESIGN-P&P.dwg, 4/11/2016 2:07:10 PM



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285

DATE 04/17/14	CKD. BY DATE
DRAWN KEF	JHC 04/14
DESIGN KEF/AJW	JHC 04/14
SECS. 2,3,11 & 12	T. 42 S. R. 20 E.





CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
PLAN & PROFILE

SCALE	1"=20' HORIZ. 1/2"=2' VERT.
SHEET	PP5
GWE NO.	6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397

NOTE:
EXIST. AERIAL CATV FIBER
& COAX ALONG EXIST. POLE LINE



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Eaglewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285


DATE	CKD. BY	DATE
04/17/14	JHC	04/14
DESIGN KEF/AJW	JHC	04/14
SECS. 2,3,11 & 12	T.42 S. R.	20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING


Placida Road
Boca Grande Causway to Cape Haze Drive
PLAN & PROFILE

SCALE	SHEET	GWE NO.
1"=20' HORZ. 1"=2' VERT.	PP6	6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



NOTE:
EXIST. AERIAL CATV FIBER
& COAX ALONG EXIST. POLE LINE



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			



900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285


DATE	04/17/14	CKD BY	DATE
DRAWN	KEF	JHC	04/14
DESIGN	KEF/AJW	JHC	04/14
SECS.	2,3,11 & 12	T. 42 S.	R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
PLAN & PROFILE



SCALE	1" = 20' HORZ. 1" = 2' VERT.
SHEET	PP7
GWE NO.	6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397




NOTE:
EXIST. AERIAL CATV
FIBER & COAX
ALONG EXIST. POLE LINE

Hartwig Mobil, Inc.
Parcel id. 422003233001
2nd Add. To Cape Haze East
(Plat book 3, Page 54)



INSERT "A"
(FROM SHEET PP2)



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285

DATE 04/17/14	CKD. BY DATE
DRAWN KEF	JHC 04/14
DESIGN KEF/AJW	JHC 04/14
SECS. 2,3,11 & 12	T. 42 S. R. 20 E.






















CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
PLAN & PROFILE

SCALE 1"=20' HORZ. 1"=2' VERT.
SHEET PP8
GWE NO. 6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397

N:\6100\56139\6139-DESIGN-P&P.dwg, 4/11/2016 2:16:53 PM



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			



900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285


















DATE 04/17/14 CKD. BY DATE
 DRAWN KEF JHC 04/14
 DESIGN KEF/AJW JHC 04/14
 SECS. 2,3,11 & 12 T. 42 S. R. 20 E.

CHARLOTTE COUNTY
 PUBLIC WORKS
 ENGINEERING

Placida Road
 Boca Grande Causeway to Cape Haze Drive
 CROSS SECTIONS

SCALE 1"=10' HORZ.
 1"=5' VERT.
 SHEET XS1
 GWE NO. 6139.00

ENGINEER OF RECORD
 A.J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			



900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285












DATE	04/17/14	CKD BY	DATE
DRAWN	KEF	JHC	04/14
DESIGN	KEF/AJW	JHC	04/14
SECS.	2,3,11 & 12	T. 42 S.	R. 20 E.

CHARLOTTE COUNTY
 PUBLIC WORKS
 ENGINEERING

Placida Road
 Boca Grande Causeway to Cape Haze Drive
 CROSS SECTIONS

SCALE	1"= 10' HORZ. 1"= 5' VERT.
SHEET	XS2
GWE NO.	6139.00

ENGINEER OF RECORD
 A.J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
 Certificate of Authorization No. 3607

900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285


















DATE 04/17/14 CKD. BY DATE
 DRAWN KEF JHC 04/14
 DESIGN KEF/AJW JHC 04/14
 SECS. 2,3,11 & 12 T. 42 S. R. 20 E.

CHARLOTTE COUNTY
 PUBLIC WORKS
 ENGINEERING

Placida Road
 Boca Grande Causeway to Cape Haze Drive
 CROSS SECTIONS

SCALE 1"= 10' HORZ.
 1"= 5' VERT.
 SHEET XS3
 GWE NO. 6139.00

ENGINEER OF RECORD
 A.J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			



900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285
















DATE	04/17/14	CKD. BY	DATE
DRAWN	KEF	JHC	04/14
DESIGN	KEF/AJW	JHC	04/14
SECS.	2,3,11 & 12	T. 42 S.	R. 20 E.

CHARLOTTE COUNTY
 PUBLIC WORKS
 ENGINEERING

Placida Road
 Boca Grande Causeway to Cape Haze Drive
 CROSS SECTIONS

SCALE	1"= 10' HORZ. 1"= 5' VERT.
SHEET	XS4
GWE NO.	6139.00

ENGINEER OF RECORD
 A.J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285


















DATE 04/17/14 CKD. BY DATE
DRAWN KEF JHC 04/14
DESIGN KEF/AJW JHC 04/14
SECS. 2,3,11 & 12 T. 42 S. R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causeway to Cape Haze Drive
CROSS SECTIONS

SCALE 1"= 10' HORZ.
1"= 5' VERT.
SHEET XS5
GWE NO. 6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285






















DATE 04/17/14 CKD. BY DATE
DRAWN KEF JHC 04/14
DESIGN KEF/AJW JHC 04/14
SECS. 2,3,11 & 12 T. 42 S. R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causeway to Cape Haze Drive
CROSS SECTIONS

SCALE 1"=10' HORZ.
1"=5' VERT.
SHEET XS6
GWE NO. 6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



PROPOSED 24" x 38" E.R.C.P.

EXERCISE EXTREME CAUTION DURING EXCAVATION

DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			



900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285



















DATE	04/17/14	CKD. BY	DATE
DRAWN	KEF	JHC	04/14
DESIGN	KEF/AJW	JHC	04/14
SECS.	2,3,11 & 12	T.42 S.	R. 20 E.

CHARLOTTE COUNTY
 PUBLIC WORKS
 ENGINEERING

Placida Road
 Boca Grande Causeway to Cape Haze Drive
 CROSS SECTIONS

SCALE	1"= 10' HORZ. 1"=5' VERT.
SHEET	XS7
GWE NO.	6139.00

ENGINEER OF RECORD
 A.J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
 Certificate of Authorization No. 3607

900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285














DATE	CKD. BY	DATE
04/17/14	JHC	04/14
DESIGN KEF/AJW	JHC	04/14
SECS. 2,3,11 &12	T. 42 S.	R. 20 E.

CHARLOTTE COUNTY
 PUBLIC WORKS
 ENGINEERING

Placida Road
 Boca Grande Causeway to Cape Haze Drive
 CROSS SECTIONS

SCALE	1"= 10' HORZ. 1"=5' VERT.
SHEET	XS9
GWE NO.	6139.00

ENGINEER OF RECORD
 A.J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285


DATE 04/17/14 CKD. BY DATE
DRAWN KEF JHC 04/14
DESIGN KEF/AJW JHC 04/14
SECS. 2,3,11 & 12 T. 42 S. R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING


Placida Road
Boca Grande Causeway to Cape Haze Drive
CROSS SECTIONS

SCALE 1"=10' HORZ.
1"=5' VERT.
SHEET XS10
GWE NO. 6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



TYPE III SILT FENCE PROTECTION AROUND DITCH BOTTOM INLETS




TYPE III SILT FENCE


SILT FENCE APPLICATIONS

DO NOT DEPLOY IN A MANNER THAT SILT FENCES WILL ACT AS A DAM ACROSS PERMANENT FLOWING WATERCOURSES. SILT FENCES ARE TO BE USED AT UPLAND LOCATIONS AND TURBIDITY BARRIERS USED AT PERMANENT BODIES OF WATER.

SILT BARRIER @ CONNECTION OF STORM PIPE TO EXISTING SWALE



SILT BARRIER @ CONNECTION OF SWALE TO EXISTING SWALE



DEWATERING NOTES:

CONTRACTOR TO ENSURE THAT DEWATERING ACTIVITIES DO NOT CAUSE EROSION AND THAT SUMP IS UTILIZED TO ALLOW FOR PARTICLE SEDIMENTATION.

SEDIMENT SUMPS AND DISCHARGE EROSION CONTROL ARE TO BE IMPLEMENTED BEFORE ANY DEWATERING ACTIVITIES OR EARTHWORK CONSTRUCTION.

SUMP SIZE BASED UPON AN ASSUMED DEWATERING DISCHARGE OF 900 GPM (2 CFS). CONTRACTOR IS TO NOTIFY ENGINEER IF GREATER DISCHARGE IS PROPOSED SO SUMP SIZE CAN BE RECALCULATED.

DEWATERING WITHDRAWALS ARE TO BE FROM THE TOP OF THE WATER AREAS TO ALLOW FOR THE ADEQUATE SETTLING OF PARTICLES AND INSURE WATER QUALITY.


CONTRACTOR TO NOTIFY S.W.F.W.M.D. OF ANY MODIFICATION PROPOSED BY THE CONTRACTOR TO THE DEWATERING PLAN. CONTRACTOR IS RESPONSIBLE FOR PREPARATION OF ANY REQUIRED PLANS AND PROCESSING OF THE SAME.

DISCHARGE FROM SUMPS SHOULD MAXIMIZE OVERLAND FLOW PRIOR TO ENTERING OUTFALL. STAKED SYNTHETIC BALES WILL BE USED TO MINIMIZE SILTATION RUNOFF. CONTRACTOR IS RESPONSIBLE FOR UTILIZING ADEQUATE SYNTHETIC BALES AT DISCHARGE LOCATIONS TO PREVENT SCOURING.

DEWATERING PERIOD MUST BE LESS THAN 120 DAYS.


LOCATION OF DEWATERING SUMPS AND DISCHARGE POINTS AS SHOWN ON PLAN.

NOTE:
CONTRACTOR TO INSPECT SILT FENCE DAILY AND REPAIR IMMEDIATELY IF DAMAGED.




NOTE: SILT FENCE TO BE PAID FOR UNDER THE CONTRACT UNIT PRICE FOR STAKED SILT FENCE (LF).

TYPE III SILT FENCE
NOT TO SCALE



PROTECTION AROUND INLETS AND SIMILAR STRUCTURES



DEWATERING BASIN
NOT TO SCALE

BEST MANAGEMENT PRACTICES (BMP)


- CONTRACTOR SHALL PROVIDE ENGINEER OF RECORD WITH ONE SET OF DRAINAGE AS-BUILT DRAWINGS WITHIN 30 DAYS FOLLOWING PROJECT COMPLETION. THE DRAINAGE-RELATED AS-BUILTS SHALL SHOW LOCATION, TYPE AND SIZE OF ALL STORM WATER OUTFALL STRUCTURES DISCHARGING TO CHARLOTTE COUNTY, FLORIDA DEPARTMENT OF TRANSPORTATION (FDOT) OR OTHER STATE SURFACE WATER DRAINAGES AND/OR WATERBODIES.
- THE CONTRACTOR OR ENGINEER SHALL REPORT ALL OFFSITE SURFACE WATER DISCHARGES WITH TURBIDITY IN EXCESS OF 29 NTUS (NEPHELOMETRIC TURBIDITY UNITS) ABOVE BACKGROUND LEVEL TO THE COUNTY ENGINEER (941) 575-3600 WITHIN 24 HOURS AFTER OCCURENCE. NOTIFICATION SHALL INCLUDE THE CAUSE OF THE PROBLEM, CORRECTIVE ACTIONS, TAKEN, AND THE INSTALLATION OF ADDITIONAL EROSION/SEDIMENT CONTROLS NOT SHOWN ON APPROVED CONSTRUCTION PLAN DRAWINGS.
- FUEL AND OTHER PETROLEUM PRODUCT SPILLS THAT ENTER STORM WATER DRAINAGE OR WATER BODIES, OR FUEL AND OTHER PETROLEUM PRODUCT SPILLS THAT ARE IN EXCESS OF 25 GALLONS AND GENERATED FROM CONSTRUCTION OPERATION SHALL BE CONTAINED, CLEANED UP AND REPORTED IMMEDIATELY TO THE COUNTY ENGINEER (941) 575-3600. SMALLER GROUND SURFACE SPILLS SHALL BE CLEANED UP AS SOON AS PRACTICAL.
- ALL SURFACE WATER DISCHARGES FROM THE PROPERTY SHALL COMPLY WITH STATE WATER QUALITY STANDARDS CONTAINED IN DEPARTMENT OF ENVIRONMENTAL PROTECTION RULES, CHAPTER 62-302, FLORIDA ADMINISTRATIVE CODE (F.A.C.)
- THE CONTRACTOR SHALL ENSURE THAT ADJACENT PROPERTIES ARE NOT IMPACTED BY WIND EROSIONS OR EMISSIONS OF UNCONFINED PARTICULATE MATTER IN ACCORDANCE WITH RULE 62-296-.320(4)(c)1, FLORIDA ADMINISTRATIVE CODE, FROM THE CONSTRUCTION SITE BY TAKING ADEQUATE MEASURES TO STABILIZE AFFECTED AREAS.
- EROSION/SEDIMENT CONTROL SHALL BE IMPLEMENTED AS NECESSARY TO PREVENT TURBID DISCHARGES FROM FLOWING ONTO ADJACENT PROPERTY OR ROADWAYS. CONTROL SHALL BE DESIGNED, INSTALLED, AND MAINTAINED AS REQUIRED BY THE ENGINEER AND/OR CONTRACTOR TO ENSURE SURFACE WATER QUALITY CONDITIONS ARE IN COMPLIANCE WITH THE WATER QUALITY STANDARDS ESTABLISHED IN CHAPTER 62-302, FLORIDA ADMINISTRATIVE CODE, AND WITH APPLICABLE CHARLOTTE COUNTY CODES.

SCHEDULE OF IMPLEMENTATION:

- INSTALL ALL TEMPORARY BMP MEASURES PRIOR TO START OF CONSTRUCTION.
- INSTALL ALL PERMANENT BMP MEASURES AFTER FINAL GRADING.
- REMOVE TEMPORARY BMP FEATURES AS APPLICABLE.

NOTE:

PROVIDE PROTECTION AROUND ALL INLETS OR SIMILAR STRUCTURES PER DETAILS.



FLOATING TURBIDITY BARRIERS

NOT TO SCALE

DATE	REVISION	BY	DATE	REVISION	BY

GWE GIFFELS-WEBSTER ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285




DATE	06/11/14	CKD BY	DATE
DRAWN	KEF	JHC	06/14
DESIGN	AJW	JHC	06/14
SECS.	2,3,11 & 12	T. 42 S.	R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road Sidewalk Design
Boca Grande Causeway to Cape Haze Drive
BMP DETAILS

SCALE	NO SCALE
SHEET	BMP-DTL
GWE NO.	6139.00

ENGINEER OF RECORD
A. J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285




DATE	04/17/14	CKD BY	DATE
DRAWN	KEF	JHC	04/14
DESIGN	KEF/AJW	JHC	04/14
SECS.	2,3,11 & 12	T.42 S.	R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
BMP PLANS

SCALE 1" = 20'
SHEET BMP-1
GWE NO. 6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285




DATE	04/17/14	CKD BY	DATE
DRAWN	KEF	JHC	04/14
DESIGN	KEF/AJW	JHC	04/14
SECS.	2,3,11 & 12	T. 42 S. R. 20 E.	

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
BMP PLANS

SCALE	1" = 20'
SHEET	BMP-2
GWE NO.	6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285




DATE 04/17/14 CKD. BY DATE
DRAWN KEF JHC 04/14
DESIGN KEF/AJW JHC 04/14
SECS. 2,3,11 & 12 T. 42 S. R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
BMP PLANS

SCALE 1" = 20'
SHEET BMP-3
GWE NO. 6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285



DATE 04/17/14	CKD. BY JHC	DATE 04/14
DRAWN KEF	JHC	04/14
DESIGN KEF/AJW	JHC	04/14
SECS. 2,3,11 & 12	T. 42 S. R. 20 E.	

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
BMP PLANS

SCALE 1" = 20'
SHEET BMP-4
GWE NO. 6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285





DATE	04/17/14	CKD BY	DATE
DRAWN	KEF	JHC	04/14
DESIGN	KEF/AJW	JHC	04/14
SECS.	2,3,11 & 12	T.42 S.	R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
BMP PLANS

SCALE	1" = 20'
SHEET	BMP-5
GWE NO.	6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
 Certificate of Authorization No. 3607

900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285

DATE	CKD. BY	DATE
04/17/14	JHC	04/14
DESIGN KEF/AJW	JHC	04/14
SECS. 2,3,11 & 12	T. 42 S. R. 20 E.	



CHARLOTTE COUNTY
 PUBLIC WORKS
 ENGINEERING

Placida Road
 Boca Grande Causway to Cape Haze Drive
 UTILITY ADJUSTMENT PLAN & PROFILE

SCALE	1" = 20' HORIZ. 1" = 2' VERT.
SHEET	UTL1
GWE NO.	6139.00

ENGINEER OF RECORD
 A.J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397

M:\6100\6139\6139-UTL-DESIGN-P&P.dwg, 3/22/2016 4:17:44 PM



M:\6100\6139\6139-UTL-DESIGN-P&P.dwg, 3/22/2016 4:20:26 PM

DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
 Certificate of Authorization No. 3607

900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285





DATE	04/17/14	CKD.BY	DATE
DRAWN	KEF	JHC	04/14
DESIGN	KEF/AJW	JHC	04/14
SECS.	2,3,11 & 12	T. 42 S.	R. 20 E.

CHARLOTTE COUNTY
 PUBLIC WORKS
 ENGINEERING

Placida Road
 Boca Grande Causway to Cape Haze Drive
 UTILITY ADJUSTMENT PLAN & PROFILE

SCALE	1"= 20' HORZ. 1"= 2' VERT.
SHEET	UTL2
GWE NO.	6139.00

ENGINEER OF RECORD
 A.J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397



M:\6100\6139\6139-UTL-DESIGN-P&P.dwg, 3/22/2016 4:14:22 PM

DATE	REVISION	BY	DATE	REVISION	BY
3-11-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
 Certificate of Authorization No. 3607

900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285

DATE	04/17/14	CKD BY	DATE
DRAWN	KEF	JHC	04/14
DESIGN	KEF/AJW	JHC	04/14
SECS.	2,3,11 & 12	T. 42 S. R. 20 E.	

CHARLOTTE COUNTY
 PUBLIC WORKS
 ENGINEERING


Placida Road
 Boca Grande Causway to Cape Haze Drive
 UTILITY ADJUSTMENT PLAN & PROFILE

SCALE	1"= 20' HORZ. 1"= 2' VERT.
SHEET	UTL3
GWE NO.	6139.00

ENGINEER OF RECORD
 A.J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397

TABULATION OF QUANTITIES

PAY ITEM NO.	DESCRIPTION	UNIT	SHEET NUMBERS												GRAND TOTAL		REF. SHEET
			IT-2		IT-3		IT-4		STA.69+26 TO STA.92+31		IT-5		IT-6		PLAN	FINAL	
			PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL	PLAN	FINAL			
630-2-11	CONDUIT, F&I, OPEN TRENCH (UNDERGROUND)	LF	1303		1506		1574		2095		1520		636		8634		
	2" ORANGE CONDUIT - 2 RUNS																
630-2-12	CONDUIT, F & I, DIRECTIONAL DRILL	LF	360		288		114		210		280		393		1645		
	2" ORANGE CONDUIT - 2 RUNS																
635-2-12	PULL & SPLICE BOX, F & I, 24"x36" COVER SIZE (COMM.)	EA	5		2		2		1		2		1		13		
715-1-11	LIGHTING CONDUCTORS, F & I, INSULATED	LF	1663		1794		1688		2305		1800		1029		10279		
	(#10 AWG STRANDED TRACER WIRE) - 1 RUN																



FIBER OPTIC ROUTE MARKER DETAIL

LEGEND:

———— 2 - 2" HDPE (COMMUNICATIONS) ORANGE CONDUITS

⊢ - - - ⊣ 2 - 2" HDPE (COMMUNICATIONS) ORANGE CONDUITS DIRECTIONAL DRILLED AT DRIVEWAYS AND CONFLICTS.

□ PULL BOX (COMMUNICATIONS) 24" x 36"

● FIBER OPTIC CABLE ROUTE MARKERS

GENERAL NOTES:

- ALL WORK AND MATERIALS FOR THE COMMUNICATIONS CONDUIT SHALL CONFORM TO THE CHARLOTTE COUNTY LIGHTING DISTRICT SUPPLEMENTAL SPECIFICATIONS FOR TRAFFIC SIGNAL INSTALLATIONS AND CHARLOTTE COUNTY LIGHTING DISTRICT SUPPLEMENTAL SPECIFICATIONS FOR FIBER OPTICS AT TRAFFIC SIGNALS DIVICES - CURRENT EDITIONS.
- 2 - 2" HDPE (COMMUNICATIONS) ORANGE CONDUITS SHALL HAVE A #10 AWG STRANDED WIRE FOR LOCATING PURPOSES.
- 2 - 2" HDPE (COMMUNICATIONS) ORANGE CONDUITS DIRECTIONAL DRILLED AT DRIVEWAYS AND CONFLICTS.
- FOR PULL BOX (COMMUNICATIONS) SPECIFICATIONS SEE: FDOT ROADWAY DESIGN MANUAL, INDEX NO. 17500 FDOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION, SECTION 635 CHARLOTTE COUNTY SUPPLEMENTAL SPECIFICATIONS FOR TRAFFIC SIGNAL INSTALLATION, CURRENT EDITION.
- A COMMUNICATION PULL BOX IS PLACED EVERY 1000 FEET, (APPROXIMATELY) AS DEPICTED ON THE PLANS.
- COMMUNICATION PULL BOXES SHALL BE QUAZITE PART #PG2436BA24 (24"W x 36"L x 24"D).
- FIBER OPTIC CABLE ROUTE MARKERS SHALL BE PLACED EVERY 1000 FEET, AS NOTED ON THE PLANS. CONTRACTOR SHALL CONTACT CHARLOTTE COUNTY LIGHTING DISTRICT TO VERIFY SPECIFIC MESSAGE TO BE PLACED ON POLY DOME FIBER OPTIC ROUTE MARKER.
- COST TO FURNISH AND INSTALL FIBER OPTIC ROUTE MARKERS SHALL BE INCIDENTAL TO THE COMMUNICATIONS CONDUITS PAY ITEM 630-2-11.

DATE	REVISION	BY	DATE	REVISION	BY
3-23-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
 Certificate of Authorization No. 3607

900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285




DATE	CKD. BY	DATE
09/24/14	JHC	10/14
DESIGN AJW	JHC	10/14
SECS. 2,3,11 & 12	T. 42 S. R. 20 E.	

CHARLOTTE COUNTY
 PUBLIC WORKS
 ENGINEERING

Placida Road
 Boca Grande Causeway to Cape Haze Drive
 ITS CONDUITS PLANS

SCALE	N/A
SHEET	ITS-1
GWE NO.	6139.00

ENGINEER OF RECORD
 A.J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-23-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
 Certificate of Authorization No. 3607

900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285




DATE	CKD. BY	DATE
09/24/14	JHC	10/14
DESIGN	AJW	JHC 10/14
SECS. 2,3,11 & 12	T. 42 S.	R. 20 E.

CHARLOTTE COUNTY
 PUBLIC WORKS
 ENGINEERING

Placida Road
 Boca Grande Causeway to Cape Haze Drive
 ITS CONDUITS PLANS

SCALE	1" = 20'
SHEET	ITS-2
GWE NO.	6139.00

ENGINEER OF RECORD
 A.J. WICKERSON, P.E.
 STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-23-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285



DATE	CKD. BY	DATE
09/24/14	JHC	10/14
	AJW	10/14
SECS. 2,3,11 & 12		T. 42 S. R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causeway to Cape Haze Drive
ITS CONDUITS PLANS


SCALE	1" = 20'
SHEET	ITS-3
GWE NO.	6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



CONTINUE CONDUITS INSTALLATION FROM STA. 69+26 TO STA. 92+31 AT APPROXIMATELY 15' OFF EDGE OF PAVEMENT WITH (1) ONE PULL BOX AT STA. 80+00 ± PER FIELD DIRECTION OF CHARLOTTE COUNTY.

**630-2-11 (2 RUNS @ 2095 L.F.)
630-2-12 (2 RUNS @ 210 L.F.)
635-2-12 (1 EA.)
715-1-11 (1 RUN @ 2305 L.F.)**



**630-2-11 (2 RUNS @ 568 L.F.)
630-2-12 0
635-2-12 (1 EA.)
715-1-11 (1 RUN @ 568 L.F.)**

DATE	REVISION	BY	DATE	REVISION	BY
3-23-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285




DATE	CKD. BY	DATE
09/24/14	JHC	10/14
DESIGN	AJW	JHC
SECS. 2,3,11 & 12	T. 42 S.	R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causeway to Cape Haze Drive
ITS CONDUITS PLANS

SCALE	1" = 20'
SHEET	ITS-4
GWE NO.	6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-23-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285



DATE	CKD. BY	DATE
09/24/14	JHC	10/14
DESIGN	AJW	JHC 10/14
SECS. 2,3,11 & 12	T. 42 S. R. 20 E.	

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causeway to Cape Haze Drive
ITS CONDUITS PLANS

SCALE	1" = 20'
SHEET	ITS-5
GWE NO.	6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-23-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285


DATE	CKD. BY	DATE
09/24/14	JHC	10/14
DESIGN	AJW	JHC
SECS. 2,3,11 & 12	T. 42 S.	R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causeway to Cape Haze Drive
ITS CONDUITS PLANS

SCALE	1" = 20'
SHEET	ITS-6
GWE NO.	6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397




**TWO LANE, TWO WAY - RURAL (INCLUDING INTERSECTIONS)
SINGLE LANE CLOSURE**
(REFER TO INDEX NO. 604)

NOTE: ADDITIONAL FLAGMAN AT EACH INTERSECTION WITHIN WORK ZONE AS REQUIRED.

M.O.T. GENERAL NOTES

- ALL TRAFFIC CONTROL SHALL BE IN ACCORDANCE WITH THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD), LATEST EDITION, PART IV AND THE FLORIDA DEPARTMENT OF TRANSPORTATION ROADWAY AND TRAFFIC DESIGN STANDARDS, LATEST EDITION, INDEX NO. 600 SERIES.
- A MINIMUM OF ONE LANE OF TRAFFIC SHALL BE MAINTAINED AND CONTROLLED BY FLAGGERS AT ALL TIMES ALONG THE PROJECT.
- ALL ONE LANE ROAD SIGNS SHALL BE FULLY COVERED AND FLAGGER SIGNS SHALL BE EITHER REMOVED OR FULLY COVERED WHEN NO WORK IS BEING PERFORMED AND THE ROADWAY IS OPEN TO TWO-WAY TRAFFIC.
- AT LEAST ONE LANE OF TRAFFIC SHALL BE MAINTAINED FOR ALL SIDE STREETS AND DRIVEWAYS DURING CONSTRUCTION.
- ENDING TAPER TO BE ESTABLISHED AT END OF THE ACTUAL WORK ZONE EACH DAY.
- THE CONTRACTOR SHALL NOTIFY THE FOLLOWING TWELVE (12) HOURS PRIOR TO THE ROADWAY CLOSURE AND/OR DETOUR:
 CHARLOTTE COUNTY TRANSPORTATION ENGINEERING DEPT. _____ 941-575-3600
 EMERGENCY MEDICAL SERVICE (E.M.S.) _____ 941-629-9996
 CHARLOTTE COUNTY FIRE DEPT. _____ 941-625-4203
 CHARLOTTE COUNTY SHERIFF'S DEPT. _____ 941-625-2101
 CHARLOTTE COUNTY SCHOOL BOARD-TRANSPORTATION DIVISION _____ 941-639-2121
 THE PUBLIC - NEWSPAPERS, RADIO AND TELEVISION STATIONS,
 72 HOURS PRIOR TO CLOSURE AND/OR DETOUR.
- ANY ADDITIONAL TRAFFIC CONTROL DEVICES DEEMED NECESSARY DURING THE PROJECT WILL BE PROVIDED BY THE CONTRACTOR.
- ADDITIONAL FLAGMAN AND M.O.T. SIGNS MAY BE NECESSARY. THE CONTRACTOR SHALL PROVIDE ADDITIONAL M.O.T. IN ACCORDANCE WITH THE M.U.T.C.D. OR AS DIRECTED AT NO ADDITIONAL COST.



GENERAL NOTES - INDEX 604

- CONSTRUCTION OPERATIONS SHALL BE CONFINED TO ONE TRAFFIC LANE, LEAVING THE OPPOSITE LANE OPEN TO TRAFFIC
- ALL VEHICLES, EQUIPMENT, WORKERS (EXCEPT FLAGGERS) AND THEIR ACTIVITIES ARE RESTRICTED AT ALL TIMES TO ONE SIDE OF THE PAVEMENT.
- ADDITIONAL ONE-WAY CONTROL MAY BE EFFECTED BY THE FOLLOWING MEANS:
 (1) FLAG-CARRYING VEHICLE (2) OFFICIAL VEHICLE
 (3) PILOT VEHICLES (4) TRAFFIC SIGNALS

 WHEN FLAGGERS ARE THE SOLE MEANS OF ONE-WAY CONTROL, THE FLAGGERS SHALL BE IN SIGHT OF EACH OTHER OR IN DIRECT COMMUNICATION AT ALL TIMES.
- THE FIRST TWO WARNING SIGNS SHALL HAVE AN 18" x 18" (MIN.) ORANGE FLAG AND A TYPE "B" LIGHT ATTACHED AND OPERATING AT ALL TIMES.
- THE "FLAGGER" LEGEND SIGN MAY BE SUBSTITUTED FOR THE SYMBOL SIGN.
- ALL SIGNS SHALL BE POST MOUNTED IF THE CLOSURE TIME EXCEEDS 12 HOURS.
- $L (min) = WS$ for speeds ≥ 45 mph
 $= \frac{WS^2}{60}$ for speeds ≤ 40 mph

 WHERE:
 W = WIDTH OF LATERAL TRANSITION IN FEET.
 S = POSTED SPEED LIMIT (MPH) - PER MUTCD MANUAL
- THE "ONE LANE ROAD" SIGNS ARE TO BE FULLY COVERED AND THE "FLAGGER" SIGNS EITHER REMOVED OR FULLY COVERED WHEN NO WORK IS BEING PERFORMED AND THE HIGHWAY IS OPEN TO TWO-WAY TRAFFIC.
- ARROWS DENOTE DIRECTION OF TRAFFIC ONLY AND DO NOT REFLECT PAVEMENT MARKINGS.
- LONGITUDINAL DIMENSIONS ARE TO BE ADJUSTED TO FIT FIELD CONDITIONS. SEE INDEX NO. 600.
- WHEN A SIDE ROAD INTERSECTS THE HIGHWAY ON WHICH WORK IS BEING PERFORMED, ADDITIONAL TRAFFIC CONTROL DEVICES SHALL BE ERRECTED IN ACCORDANCE WITH OTHER APPLICABLE TCZ INDEXES.
- FOR GENERAL TCZ REQUIREMENTS AND ADDITIONAL INFORMATION, REFER TO INDEX NO. 600.

DATE	REVISION	BY	DATE	REVISION

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285




DATE	9/14	CKD. BY	DATE
DRAWN	AJW	AJW	10/14
DESIGN	AJW	JHC	10/14
SECS.	2,3,11 & 12	T. 42 S.	R. 20 E.

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causeway to Cape Haze Drive
MAINTENANCE OF TRAFFIC

SCALE	NTS
SHEET	MOT-1
GWE NO.	6139.00

ENGINEER OF RECORD
A. J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397



DATE	REVISION	BY	DATE	REVISION	BY
3-28-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER ENGINEERS, INC.
 Certificate of Authorization No. 3607
 900 Pine Street, Suite 225
 Englewood, Florida 34223
 Phone (941)475-7981
 Fax (941)474-4285

DATE	CKD. BY	DATE
04/17/14	JHC	04/14
DESIGN KEF/AJW	JHC	04/14
SECS. 2,3,11 & 12	T. 42 S. R. 20 E.	




CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
SIGNING & PAVEMENT MARKING

SCALE	1" = 20'
SHEET	SPM-1
GWE NO.	6139-00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397

N:\6100\56139\6139-SPM.dwg, 4/11/2016 2:24:46 PM



DATE	REVISION	BY	DATE	REVISION	BY
3-28-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285

DATE	CKD. BY	DATE
03/03/16	JHC	03/16
DESIGN KEF/AJW	JHC	03/16
SECS. 2,3,11 & 12	T. 42 S. R. 20 E.	




CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
SIGNING & PAVEMENT MARKING

SCALE	1" = 20'
SHEET	SPM-2
GWE NO.	6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397

N:\6100\56139\6139-SPM.dwg, 4/11/2016 2:52:52 PM



DATE	REVISION	BY	DATE	REVISION	BY
3-28-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285

DATE 03/03/16 CKD.BY DATE
DRAWN KEF JHC 03/16
DESIGN KEF/AJW JHC 03/16
SECS. 2,3,11 & 12 T. 42 S. R. 20 E.




CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
SIGNING & PAVEMENT MARKING

SCALE 1" = 20'
SHEET SPM-3
GWE NO. 6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397

N:\6100\56139\6139-SPM.dwg, 4/11/2016 2:51:41 PM



DATE	REVISION	BY	DATE	REVISION	BY
3-28-16	90% COMMENTS	CVO			

GWE GIFFELS-WEBSTER
ENGINEERS, INC.
Certificate of Authorization No. 3607

900 Pine Street, Suite 225
Englewood, Florida 34223
Phone (941)475-7981
Fax (941)474-4285

DATE	03/03/16	CKD BY	DATE
DRAWN	KEF	JHC	03/16
DESIGN	KEF/AJW	JHC	03/16
SECS.	2,3,11 & 12	T. 42 S. R. 20 E.	

CHARLOTTE COUNTY
PUBLIC WORKS
ENGINEERING

Placida Road
Boca Grande Causway to Cape Haze Drive
SIGNING & PAVEMENT MARKING

SCALE	1" = 20'
SHEET	SPM-4
GWE NO.	6139.00

ENGINEER OF RECORD
A.J. WICKERSON, P.E.
STATE OF FLORIDA NO. 58397

N:\6100\56139\6139-SPM.dwg, 4/11/2016 2:50:36 PM

